



Click on the links above / below to view products on this site available from Kpr Adcor Inc. Facilities are ISO9002 Compliant

# KPR ADCOR INC

[Home](#)

[Feedback](#)

[Product Data](#)

[Search](#)

[Links](#)



## ADCOR SUPER COOL 'Plus'

Custom Formulated,  
Non-Chlorinated

SafeSemi-Synthetic Metalworking  
Fluid

### Features and Benefits

- Contains the effective proprietary [Corrosion Inhibitors](#)

- Increased Tool Life Superior Surface Finish
- Safe for use on all types of Metals and Hardness
- Increased Sump Life - Fewer Change Outs - Increased Dilutions
- The Maximum in Rust Protection - Up to One (1) Year, Clean and Bio-Resistance
- Rejects - Tramp Oil Safe - User Friendly Environment
- Non-Chlorinated - Reduced Disposal Cost - Workplace Friendly
- Provides machined parts up to one year of indoor corrosion protection

## Technical Data

APPEARANCE

OPAQUE / BLUE

ODOR

MILD/PLEASANT

SPECIFIC GRAVITY

1.0

BOILING POINT

> 100 C / 212 F

FLASH POINT

N/A

p/H (CONCENTRATE)

10.0 - 10.4

FOAM

FAST BREAKING- Low Foaming Formula

CAST IRON CHIP TEST

PASSED

FREEZING POINT

< 0 C / 32 F

## Refractometer Readings

<b>50:1</b>	<b>45:1</b>	<b>40:1</b>	<b>35:1</b>	<b>30:1</b>	<b>25:1</b>	<b>20:1</b>	<b>15:1</b>	<b>10:1</b>	<b>5:1</b>
<b>1.40</b>	<b>1.45</b>	<b>1.50</b>	<b>1.60</b>	<b>2.15</b>	<b>2.60</b>	<b>3.00</b>	<b>4.25</b>	<b>5.50</b>	<b>11.0</b>

Usage : BORING, MILLING, REAMING: 35:1 BROACHING: 15:1 SAWING: 40:1

DRILLING, TURNING: 30:1 GEAR CUTTING, TAPPING, THREADING: 20:1

GUN DRILLING: 25:1

[ [Home](#) ] [ [Up](#) ] [ [Rust Protection](#) ] [ [REQUEST QUOTES](#) ] [ [VCI Works](#) ] [ [Applications](#) ] [ [NEWS](#) ]  
[ [Rust Removing](#) ] [ [Save Money](#) ] [ [VCI Paper](#) ] [ [VCI PLASTICS](#) ] [ [Food Grade](#) ] [ [Applications](#) ]  
[ [Fda Usda Approved](#) ] [ [Table Carcinogens](#) ] [ [VCI Selection Help](#) ] [ [Photo Gallery](#) ]

CUSTOMER SERVICE & Online [QUOTATIONS](#)

TOLL FREE 1-866-KPR-ADCOR [ONLINE STORE](#)

*Kpr Adcor Inc.*

*'We Stop Rust!' TM*

*Toll Free 1-866-577-2326 Phone: 905-628-3232 Fax: 905-628-2529 Email: [kpr@corrosioncontrol.ca](mailto:kpr@corrosioncontrol.ca)*

*New York, USA Hamilton, Ontario*

© TM are those of the the respective trademark holders.